



# Mini Plus

### Mini Body, Powerful Features

A Full HD 1080p Wi-Fi camera with a compact body and powerful features.

#### **Key Features**



1080p



Supports 2.4GHz/5GHz Wi-Fi



Supports MicroSD card slot, up to 128GB



Two-way audio



True Day/Night camera with auto-switching. Infrared night vision up to 7.5 meters.




Secure cloud recording\* (optional)



## Full HD 1080p video

The Mini Plus boasts amazing Full HD 1080p video for its small size.



### Two-way audio

The Mini Plus comes with a built-in speaker and microphone for two-way audio via the camera and your phone or tablet.




### Easy setup

Equipped with a magnetic swivel base, the Mini Plus can be set up wherever you want it and aimed wherever you need it.



# Night vision

When it's dark, the Mini Plus automatically switches to night vision for clear-as-day video.



### Wide viewing angle

The 135° ultra-wide-angle lens provides more coverage, so you can keep an eye on what's valuable to you.



# Instant alerts (manual activation required)

The Mini Plus watches for movement. It will take a picture and send alerts to your smartphone when it detects motions.



## Specifications Model CS-CV200 1080p Wi-Fi Indoor Cloud Camera

#### Camera

Image Sensor 1/2.7" Progressive Scan CMOS

Minimum Illumination 0.02 lux @(F2.2, AGC ON), 0 lux with IR

Shutter 1/30s to 1/100,000s

Lens 2.8mm @ F2.0 Horizontal View Angle: 116°,

Diagonal View Angle: 135°

Lens Mount M12

Day & Night IR-cut filter

DNR 3D DNR

IR Range Up to 25 feet (7.5m)

WDR HDR, Max. 120db

Audio Built-in Microphone and Speaker

#### Compression

Video Compression H.264 Main Profile

Video Bit Rate Hi-Def, Standard and Basic. Adaptive bit rate.

#### **Image**

Max. Resolution 1920×1080

#### Network

Storage Supports MicroSD card (max. 128GB)

Smart Alarm Smart Motion detection

Wi-Fi Pairing SmartConfig (Wi-Fi One-Key Configuration)

Interface Protocol EZVIZ Cloud proprietary protocol

General Features Dual-Stream, Mirror Image

Minimum Network

Requirements

2Mbps

#### **Wireless Specifications**

Standard IEEE802.11b, 802.11g, 802.11n, 802.11ac

Frequency Range  $2.4GHz \sim 2.4835GHz / 5.15GHz \sim 5.35GHz /$ 

5.725GHz ~ 5.825GHz

Channel Bandwidth Supports 20MHz

Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

Transmission Rate 802.11b: 11Mbps, 802.11g: 54Mbps, 802.11n: 150Mbps

#### General

Power Supply DC 5V±10%
Power Consumption 3.5W Max

Product Dimensions 85mm x 52m x 29mm

Packaging Dimensions 148mm x 91.5mm x 85.5mm

Weight 0.19 lb. (85.5 g)

#### Certificates

FCC/UL/IC/NOM/CE/RoHS/WEEE/REACH

### Requirements

- Operating Conditions: -10°C ~ 45°C, Humidity 95% or less (non-condensing)